Division of Water Anchorage



AUG 2 5 2011 RECEIVED **John Zager** General Manager Union Oil Company of California 3800 Centerpoint Drive Suite 100 Anchorage, AK 99503 Tel 907 263 7815 Fax 907 263 7693 Email jzager@chevron.com

August 18, 2011

Mr. Chae Park U.S. Environmental Protection Agency Region 10, Water Compliance Section 1200 Sixth Avenue, OW-133 Seattle, WA 98101 SCANNED KN 8/25 AND 2339.48,015

RETURN RECEIPT REQUESTED - CERTIFIED MAIL 91 7108 2133 3938 6048 6392

Re: NPDES Permit No. AKG-31-5001

Granite Point Tank Farm July 2011 Discharge Monitoring Reports (DMR)

Dear Mr. Park:

Union Oil Company of California ("Union") operates the Granite Point Tank Farm that discharges regulated effluents in Cook Inlet, Alaska under NPDES Permit No. AKG-31-5001. Pursuant to condition VI.B of the Permit, Union Oil Company of California is hereby submitting the July 2011 NPDES Discharge Monitoring Reports (DMRs) for the Granite Point Tank Farm.

The discharge of produced water ceased on November 29, 2010 due to frozen lines, therefore there were no discharges reported.

Please take note that Union is using the forms provided by EPA with corrections to accommodate the reporting that is required by the permit. The corrections were approved by your Data Steward in an e-mail to Marilu Moreno-Jones dated September 3, 2010. Union plans to use this same format for our future DMR submittals.

Consistent with the authorization in your e-mail of September 16, 2010, this letter certifies all of the 5 pages of DMRs for Granite Point Tank Farm attached to this letter.

If you have any questions, please direct them to Mr. Jeffrey Smith at 907-263-7311 or via e-mail at jeff.smith@chevron.com.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Best regards,

John Zager

cc: ADEC / Certified Mail 91 7108 2133 3938 6048 6408

Mr. Chae Park US Environmental Protection Agency August 18, 2011 Page 2

bcc: Susan Saupe, CIRCAC

Facility Operations Supervisors
HES 2011 NPDES DMR – GPTF File
HES 2011 NPDES DMR – REGIONAL File

Patrick Moore, Exxon-Mobile

Form Approved OMB No 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

ADDRESS: P.O. BOX 196247

ANCHORAGE, AK 99519-6247
FACILITY: GRANITE POINT TANK FARM

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315001 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

 MONITORING PERIOD

 MM/DD/YYYY
 MM/DD/YYYY

 07/01/2011
 TO
 07/31/2011

DMR Mailing ZIP CODE: 99519

MINOR

(SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge

PARAMETER		QUAN	ITITY OR LOADIN	G	(	QUALITY OR COI	NCENTRATION		NO.	FREQUENCY OF ANALYSIS	SAMPLE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EX		TYPE
pН	SAMPLE MEASUREMENT	****	****	*****		*****					
00400 ∨ 0 See Comments	PERMIT REQUIREMENT	*****	****	*****	6 MINIMUM	*****	9 MAXIMUM	SU		Monthly	GRAB
pН	SAMPLE MEASUREMENT	****	*****	*****		*****	MAXIMOM				0.0.0
00400 W 0 See Comments	PERMIT REQUIREMENT	*****	<b>有</b> 责场会会	*****	6 MINIMUM	安全安全	9 MAXIMUM	SU		Weekly	GRAB
Oil and grease	SAMPLE MEASUREMENT	*****	*****	*****	****		Ten Constitution				
03582 T 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	专业并未会	29 MO AVG	42 DAILY MX	mg/L		Weekly	GRAB
Oil and grease	SAMPLE MEASUREMENT	****	****	*****	*****						
03582 U 0 See Comments	PERMIT REQUIREMENT	****	<b>大贞宗</b> 有农友	*****	*****	29 MO AVG	42 DAILY MX	mg/L		Weekiy	COMP24
Flow, in conduit or thru treatment plant	SAMPLE MEASUREMENT				****	*****	DAILT MA	*****		,	001111 24
50050 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. MO AVG	Req. Mon. DAILY MX	Mgal/d	*****	****	****	*****		Monthly	ESTIMA
Produced water, free oil	SAMPLE MEASUREMENT	****			****	*****	*****	*****			2 V 11187
79834 1 0 Effluent Gross	PERMIT REQUIREMENT	<b>企业业</b> 为企业	Req. Mon. MO TOTAL	occur/mo	****	*****	****	*****		Daily	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or				
JONE Zader, General Manager	supervision accordance with a syntem designed to assure that qualified personnel property gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons.		TEI	EPHONE	DATE
Tana Continent/Alaska Business Unit	shive thy responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false		(907)	276-7600	08/18/2011
TYPED OR PRINTED	information, including the possability of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER	(001)	270-7000	00/10/2011
COMMENTS AND EXPLANATION OF ANY VIOLATIONS	(Reference all attachments here)	OR AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

•

NO DISCHARGE OF PRODUCED SAND IS ALLOWED T = GRAB SAMPLE

U = COMPOSITE SAMPLE

V = DISCHARGE < 1 MGD (PREVIOUS MONTHS AVG RATE)

W = DISCHARGE > 1 MGD (PREVIOUS MONTH'S AVG RATE)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

**ADDRESS:** P.O. BOX 196247

ANCHORAGE, AK 99519-6247

FACILITY: GRANITE POINT TANK FARM

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315001 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 07/01/2011 TO 07/31/2011

DMR Mailing ZIP CODE: 99519

MINOR (SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge X

PARAMETER		QUAN	TITY OR LOADIN	G	•	QUALITY OR CO	NCENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EX		TYPE
Nitrogen, ammonia total (as N)	SAMPLE MEASUREMENT	*****	****	*****	*****			1 011113			
00610 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****	*****	****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Quarterly	
Silver total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	****		DAILT WA			Quarterry	GRAB
01079 1 0 Effluent Gross	PERMIT REQUIREMENT	****	****	*****	****	37	74	ug/L			
Silver total recoverable	SAMPLE MEASUREMENT	****	*****	*****	*****	MO AVG	DAILY MX			Monthly	GRAB
01079 P 0 See Comments	PERMIT REQUIREMENT	***	****	*****	*****	37 MO AVG	74	ug/L		A	
Silver total recoverable	SAMPLE MEASUREMENT	****	*****	*****	****	WIOAVG	DAILY MX			Quarterly	CALCT
01079 Q 0 See Comments	PERMIT REQUIREMENT	****	*****	*****	*****	37 MO AVG	74	ug/L		184	
Zinc, total recoverable	SAMPLE MEASUREMENT	****	****	*****	****	MOAVG	DAILY MX			Weekly	GRAB
01094 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	****	*****	****	1.5	3.1	mg/L		***************************************	
linc, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	MO AVG	DAILY MX			Monthly	GRAB
1094 P 0 See Comments	PERMIT REQUIREMENT	****	*****	*****	****	1.5 MO AVG	3.1 DAILY MX	mg/L		5 Americka St.	
inc, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****		DAILTINA			Monthly	GRAB
1094 Q 0 ee Comments	PERMIT REQUIREMENT	*****	****	*****	*****	1.5 MO AVG	3.1 DAILY MX	mg/L.		Quarterly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction of			
John Zager, General Manager	supervision accordance with a system designed to assure state transfilled personnel properly gather and evaluate the information unberried. Based on my incepts of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and		TELEPHONE	DATE
The delivered flooring Dustriess Offic		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER	(907) 276-7600	08/18/2011
COMMENTS AND EXPLANATION OF ANY VIOLATIONS		OD 4117110mmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmmm	AREA Code NUMBER	MM/DD/YYYY

P=MONT. REDUCE (II.G.6.a.1.) Q=MONT INCREASE (II.G.6.a.2.) R=ACCELERATED TESTING (III.A.7)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

ADDRESS: P.O. BOX 196247

FACILITY:

ANCHORAGE, AK 99519-6247 GRANITE POINT TANK FARM

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315001 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 07/01/2011 TO 07/31/2011

DMR Mailing ZIP CODE: 99519

MINOR (SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge X

PARAMETER		QUAN	TITY OR LOADING	G		QUALITY OR COI	NCENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EA		TYPE
Copper, total recoverable	SAMPLE MEASUREMENT	<b>秀次青女女女</b>	****	*****	*****						
01119 1 0 Effluent Gross	PERMIT REQUIREMENT	<b>希詹索索</b> ·	传统方式会址	*****	*****	67 MO AVG	130 DAILY MX	ug/L		Monthly	GRAB
Copper, total recoverable	SAMPLE MEASUREMENT	<b>有有的收收</b>	****	*****	*****		DAILI MA				3,4,45
01119 P 0 See Comments	PERMIT REQUIREMENT	****	传统大会会会	*****	*****	67 MO AVG	130 DAILY MX	ug/L		Quarterly	GRAB
Copper, total recoverable	SAMPLE MEASUREMENT	****	*****	*****	*****					,	21210
01119 Q 0 See Comments	PERMIT REQUIREMENT	****	*****	*****	*****	67 MO AVG	130 DAILY MX	ug/L		Weekly	GRAB
Manganese, total recoverable	SAMPLE MEASUREMENT	****	*****	*****	****						311112
11123 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	*****	6.1 MO AVG	12.3 DAILY MX	mg/L		Monthly	GRAB
Manganese, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****	MOAVO	DAILTIMA				W1 (14)
11123 P 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	<b>奈莉女老弟</b> 妹	6.1 MO AVG	12.3 DAILY MX	mg/L		Quarterly	GRAB
Manganese, total recoverable	SAMPLE MEASUREMENT	*****	*****	*****	*****						
11123 Q 0 See Comments	PERMIT REQUIREMENT	****	****	*****	****	6.1 MO AVG	12.3 DAILY MX	mg/L		Weekiy	GRAB
Total Aromatic Hydrocarbons	SAMPLE MEASUREMENT	****	****	*****	****					,	
39942 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	<b>乘乘安备录</b>	*****	*****	14 MO AVG	20 DAILY MX	mg/L		Monthly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or				
John Zader General Manager	supervision accordance with a system designed to assere that qualified personnel property gather and evaluate the information submitted. Based on my inquisy of the person or persons who manage the system, or those persons		TEI	LEPHONE	DATE
I wild Comment/Alaska Business Unit	directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete 1 am aware that there are significant penalties for submitting false		(907)	276-7600	08/18/2011
TYPED OR PRINTED	information, including the possibility of line and imprisonment for knowing violations	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER	(00.)	270 7000	00/10/2011
COMMENTS AND EXPLANATION OF ANY VIOLATIONS	(Reference all attachments here)	OR AUTHORIZED AGENT	AREA Code	NUMBER	MM/DD/YYYY

NS (Reference all attachments here)

P=MONT. REDUCE (II.G.6.a.1.) Q=MONT INCREASE (II.G.6.a.2.) R=ACCELERATED TESTING (III.A.7)

Form Approved OMB No 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME:

UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

ADDRESS: P.O. BOX 196247

ANCHORAGE, AK 99519-6247

FACILITY:

GRANITE POINT TANK FARM

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315001 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 07/01/2011 07/31/2011 TO

DMR Mailing ZIP CODE: 99519

MINOR

(SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge

PARAMETER		QUAN	TITY OR LOADIN	G		QUALITY OR COI	CENTRATION		NO.	FREQUENCY OF ANALYSIS	SAMPLE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	EX		TYPE
Total Aromatic Hydrocarbons	SAMPLE MEASUREMENT	***	*****	*****	****						
39942 P 0 See Comments	PERMIT REQUIREMENT	专业的企业	*****	*****	****	14 MO AVG	20 DAILY MX	mg/L		Quarterly	22.5
Total Aromatic Hydrocarbons	SAMPLE MEASUREMENT	****	*****	*****	*****	WOAVG	DAILT IVIX			Quarterry	GRAB
39942 Q 0 See Comments	PERMIT REQUIREMENT	***	****	*****	****	14 MO AVG	20 DAILY MX	mg/L		Weekly	GRAB
Total Aqueous Hydrocarbons	SAMPLE MEASUREMENT	*****	****	*****	*****					,	W. W. I.J.
50259 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	市水水水水水	*****	****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Monthly	GRAB
Total Aqueous Hydrocarbons	SAMPLE MEASUREMENT	*****	*****	*****	安安安全会						
50259 P 0 Effluent Gross	PERMIT REQUIREMENT	****	*****	*****	乔安州安全	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Quarterly	GRAB
Total Aqueous Hydrocarbons	SAMPLE MEASUREMENT	*****	*****	****	***						
50259 Q 0 Effluent Gross	PERMIT REQUIREMENT	****	*****	*****	****	Req. Mon. MO AVG	Req. Mon. DAILY MX	mg/L		Weekly	GRAB
Mercury, total (as Hq)	SAMPLE MEASUREMENT	*****	*****	*****	****						
71900 1 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	****	3.1 MO AVG	7.9 DAILY MX	ug/L		Monthly	GRAB
Mercury, total (as Hg)	SAMPLE MEASUREMENT	****	****	*****	****		DUIC I MV				
71900 P 0 See Comments	PERMIT REQUIREMENT	****	*****	*****	*****	3.1 MO AVG	7.9 DAILY MX	ug/L		Quarterly	GRAB

John Zager General Manager	supervision accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my industry of the person or persons who menage the content of the person.		TELEPHONE	DATE
mid Golimicito Aldaka Dusilless Ullit	directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and emplete. I am aware that there are significant penalistics for submitting false information, including the possibility of fine and unprisonment for knowing violaturus.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER	(907) 276-7600	08/18/2011
COMMENTS AND EXPLANATION OF ANY VIOLATIONS	(Reference all attachments here)	OR AUTHORIZED AGENT	AREA Code NUMBER	MM/DD/YYYY

P=MONT. REDUCE (II.G.6.a.1.) Q=MONT INCREASE (II.G.6.a.2.) R=ACCELERATED TESTING (III.A.7) PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: UNION OIL COMPANY OF CALIFORNIA (UNOCAL)

ADDRESS: P.O. BOX 196247

ANCHORAGE, AK 99519-6247 FACILITY: GRANITE POINT TANK FARM

LOCATION: COOK INLET, Alaska

ATTN: JOHN ZAGER, GENERAL MANAGER

AKG315001 PERMIT NUMBER

FROM

015-A DISCHARGE NUMBER

MONITORING PERIOD MM/DD/YYYY MM/DD/YYYY 07/01/2011 TO 07/31/2011

DMR Mailing ZIP CODE: 99519

MINOR (SUBR 02)

PRODUCED WATER AND SAND

External Outfall

No Discharge

PARAMETER		QUAN <sup>*</sup>	TITY OR LOADING	3		QUALITY OR COM	CENTRATION		NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS	LA		
Mercury, total (as Hg)	SAMPLE MEASUREMENT	****	*****	*****	****						
71900 Q 0 See Comments	PERMIT REQUIREMENT	****	*****	*****	*****	3.1 MO AVG	7.9 DAILY MX	ug/L		Weekly	GRAB
Toxicity, Chronic* Dendraster excentricus	SAMPLE MEASUREMENT	*****	****	*****	*****						
TT000 1 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	*****	1341 MO AVG**	2691 DAILY MX**	toxic		See Permit	GRAB
Toxicity, Chronic* Menidia beryllina	SAMPLE MEASUREMENT	****	*****	*****	*****						
TT000 1 0 See Comments	PERMIT REQUIREMENT	*****	*****	<b>米市共全</b> 条	****	1341 MO AVG**	2691 DAILY MX**	toxic		See Permit	GRAB
Toxicity, Chronic* Mytilus galloprovincialis	SAMPLE MEASUREMENT	****	****	*****	*****						
TT000 1 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	*****	1341 MO AVG**	2691 DAILY MX**	toxic		See Permit	GRAB
Toxicity, Chronic*	SAMPLE MEASUREMENT	*****	*****	****	*****						
TT000 R 0 See Comments	PERMIT REQUIREMENT	*****	*****	*****	****	1341 MO AVG	2691 DAILY MX	toxic		See Permit	GRAB
Toxicity, Chronic*	SAMPLE MEASUREMENT	****	*****	*****	*****						
TT000 Q 0 Effluent Gross	PERMIT REQUIREMENT	*****	*****	*****	****	1341 MO AVG	2691 DAILY MX	toxic		See Permit	GRAB

TOWNS TO THE THIRD IN THE EXCOUNTED OF TOOLS	I certify under penalty of law that this document and all attachments were prepared mader my direction or supervision accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who meaning the system, or three persons.		TEI	LEPHONE	DATE
Mid Continent/Alaska Business Unit	directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting falve	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER	(907)	276-7600	08/18/2011
TYPED OR PRINTED  COMMENTS AND EXPLANATION OF ANY VIOLATIONS			AREA Code	NUMBER	MM/DD/YYYY

\*Granite Point Tank Farm conducted its quarterly WET testing in June and its annual three species WET testing in August 2010.

\*\*Section II.F.4 of the permit.

P=MONT. REDUCE (II.G.6,a.1.)

Q=MONT INCREASE (II.G.6.a.2.)

R=ACCELERATED TESTING (III.A.7)